



Series: Bosch



The TFT-Industrial-Monitor is a modern concept to replace old or defective CRTs mounted in control units of Bosch. All units are Made in Germany, using only high quality components. A mechanic housing, similar to the original unit, makes it easy to exchange in just a few minutes. The new display is plug&play 100% compatible to the Bosch equipment.

- **For Bosch CC100T / CC100M / CC120M**
- Bosch special timing
- mech. type: Chassis with curve
- Curve with antireflex coated glass
- Connector monitor: 10-pin monitor adapter
- Operating voltage: 12V DC (via monitor adapter)
- TFT-Display, screen size 8.4"
- Resolution: 800 x 600
- Brightness: 250 cd/m²
- Contrast: 600:1
- Backlight lifetime: ca. 20.000 h
- VDE 0100, 0411, 0804, 0871B and CE-Mark

Order-no.:

8.4" Bosch (replacement for 9" CRT mono)

2361121

Series: Bosch



2361122 / 10.4"
- Connection via adapter cable
(IDC female 16-pin → IDC female 16-pin)



2363422 / 10.4"
- Connection via adapter cable
(15-pin HD D Sub → IDC female 16-pin)



The TFT-Industrial-Monitor is a modern concept to replace old or defective CRTs mounted in control units of Bosch. All units are Made in Germany, using only high quality components. A mechanic housing, similar to the original unit, makes it easy to exchange in just a few minutes. The new display is plug&play 100% compatible to the Bosch equipment.

- **For Bosch CC200 / CC220 / CC220M / CC300 / CC320**
- Bosch special timing
- mech. type: Chassis with curve
- Curve with antireflex coated glass
- Connector monitor: IDC male 16-pin (2361122),
15-pin HD D-Sub (2363422)
- Operating voltage: 12V DC
- TFT-Display, screen size 10.4"
- Resolution: 800 x 600
- Brightness: 250 cd/m²
- Contrast: 400:1
- Backlight lifetime: ca. 30.000 h
- VDE 0100, 0411, 0804, 0871B and CE-Mark
- Accessories: mounting brackets, adapter cable

Order-no.:

10.4" Bosch (replacement for 12"CRT mono) **2361122**

10.4" Bosch (replacement for 12"CRT mono Trumf Trumatic) **2363422**



Series: Bosch



Connector options via adapter cable:



IDC female 10-pin → IDC female 10-pin



5 x BNC → 15-pin HD D-Sub

The TFT-Industrial-Monitor is a modern concept to replace old or defective CRTs mounted in control units of Bosch. All units are Made in Germany, using only high quality components. A mechanic housing, similar to the original unit, makes it easy to exchange in just a few minutes. The new display is plug&play 100% compatible to the Bosch equipment.

- **For Bosch CC200 / CC220 / CC300 / CC320**
- Bosch special timing
- mech. type: Chassis with curve
- Curve with antireflex coated glass
- Connector monitor: IDC male 10-pin, 5 x BNC
- Operating voltage: 85-240V AC
- TFT-Display, screen size 12.1"
- Resoution: 800 x 600
- Brightness: 400 cd/m²
- Contrast: 500:1
- Backlight lifetime: ca. 50.000 h
- VDE 0100, 0411, 0804, 0871B and CE-Mark
- Accessories: mounting brackets, adapter cables, power supply cord

Order-no.:

12.1" Bosch (replacement for 14"CRT color)

2361123